

Date Printed: January 1, 2015

\_\_\_\_\_

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

\_\_\_\_\_

## 1. COMPANY IDENTIFICATION AND CHEMICAL PRODUCT

Manufacturer:

**Evcor Solutions Inc.** 

6107 - 530 Adelaide Street West

Toronto, ON, M5V 1T5

1-800-860-1537

Web: www.evcorsolutions.com

ChemTrec Emergency No.1(800)424-9300 Contract # CCN 17567

Product name: Product Code:

FUSE-PLASTIC

#### Specific use:

Epoxy putty for plastic substrates

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component/Occupational Exposure Limits	CAS RN
TALC	14807-96-6
OSHA PEL 20 mppcf TWA	
ACGIH TLV 2 mg/m3 TWA	
EPOXY RESIN	67989-52-0
Bisphenol A epoxy resin	25085-99-8
AMORPHOUS SILICA, SILOXANES & SILICONES	67762-90-7
TITANIUM DIOXIDE	13463-67-7
OSHA PEL 15 mg/m3 TWA (total dust)	
ACGIH TLV 10 mg/m3 TWA	
NIOSH 2.4 mg/m3 TWA for fine particles	
NIOSH 0.3 mg/m3 TWA for ultrafine and engineered named $\sim 10^{-3}$	noscale
2,4,6-TRIS (DIMETHYLAMINOMETHYL) PHENOL	90-72-2
SILICA, CRYSTALLINE QUARTZ	14808-60-7
OSHA PEL 30 mg/m3 /% SiO2+2 TWA (total dust)	
OSHA PEL 250 mppcf/%SiO2 (respirable) OR	
10 mg/m3/%SiO2+2 (respirable)	
ACGIH TLV 0.025 mg/m3 TWA (respirable)	

## 3. HAZARD IDENTIFICATION

WARNING!

**Health and Physical Hazards** 



Date Printed: January 1, 2015

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

Irritant: Product contains chemicals known to cause skin and eye irritation and may cause sensitization by skin contact.

### **Routes of Exposure Target Organs**

Inhalation -Yes
Skin contact -Yes
Eye contact -Yes
Ingestion -Yes
Lungs -Yes
Central nervous system -Yes
Reproductive -No
Skin -Yes

Blood -No Eyes -Yes Kidneys -No Liver -No

#### Inhalation

May cause irritation to the respiratory tract and coughing (sneezing).

#### Skin

Prolonged or repeated skin contact may cause irritation and allergic skin reaction or sensitization.

#### Eyes

Contact with product may cause moderate eye irritation.

#### Ingestion

May cause irritation of the gastrointestinal tract and digestive discomfort.

#### Other

No data found.

## **4. FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If respiratory difficulties continue, seek immediate medical care.

#### Skin contact

Wash affected area with plenty of soap and water. If irritation persists, seek medical care.

#### Eve contact

Flush eyes thoroughly with water for at least fifteen minutes. If



Date Printed: January 1, 2015

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

discomfort occurs, consult a physician, preferably an ophthalmologist.

## Ingestion

Do not induce vomiting. Seek medical care immediately if ill effects occur.

## **Note to Physician**

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Flash Point: Method: > 200°F, (> 93°C)

Method:

Setaflash Closed Cup ASTM E502.

### **Explosion Limits:**

### Lower (LEL)

No data found.

#### Upper (UEL)

No data found.

#### **Extinguishing Media**

Foam, alcohol foam, CO2, dry chemical, water fog.

#### **Methods**

Use water spray to fight fires. Cool endangered containers with water. Fire fighters should wear full protective clothing including a self-contained breathing apparatus (SCBA).

## **Unusual Hazards**

No data found.

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection. Keep nonessential personnel away from the contaminated area. Avoid contact with skin, eyes and clothing. Use appropriate Personal Protective Equipment (PPE). For guidance on selection of PPE see Section 8, "Engineering Control and Personal Protective Equipment" of this MSDS. Ensure adequate ventilation.



Date Printed: January 1, 2015

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

#### **Environmental Precautions**

Prevent this material from contaminating surrounding environment. Prevent this material from entering sewers and watercourses by diking or impounding the spilled material. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

## **Methods for Cleanup**

Sweep, shovel and collect material into a covered container. Dispose of according to all applicable state, provincial, federal and local regulations.

## 7. HANDLING AND STORAGE

### Handling

Wear all appropriate Personal Protective Equipment (PPE). Wear respiratory protection or ensure adequate ventilation at all times. Empty Container Precautions: Do not re-use empty containers for food, clothing, or products for human or animal consumption, or where skin contact can occur.

#### Storage

Keep containers closed when not in use in well-ventilated place. Store at room temperatures.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Engineering Controls**

Use with adequate local ventilation especially in confined areas. In industrial applications, ensure ventilation is in compliance with occupational exposure limits.

#### **Respiratory Protection**

Local exhaust is recommended to ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory equipment should be worn if material is to be sanded and/or sawed to avoid inhalation of airborne particles. If needed, use a NIOSH/MSHA approved respirator equipped with organic vapor cartridges and P100 filters. For emergencies and unknown concentrations, use supplied air respiratory protection or a positive-pressure, self-contained, breathing apparatus (SCBA).

#### **Hand Protection**

If product contact is anticipated, wear chemical resistant gloves.

#### **Eye Protection**



Date Printed: January 1, 2015

\_\_\_\_\_

Product Name: FUSE-PLASTIC Product Code :

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

Wear safety glasses with side shields or goggles.

#### **Skin Protection**

If product contact is anticipated, wear protective clothing.

#### Other Data

Good personal hygiene and good housekeeping are important. Spilled material

may cause the floor or contaminated area to become a safety hazard.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** 

Solid

Appearance

Concentric cylinder

Color

Light blue, White

Odor

Pungent, Sulfur

Density

14.93 lb/gl

**Specific Gravity** 

1.79

**Boiling Point** 

Not applicable

**Appearance Vapor Density** 

Not determined

**Color Evaporation Rate** 

Not applicable

Ibs VOC less water and exempt solvents

01h

**Density Percent Volatile by Volume** 

0 응

Hq

Not applicable

#### 10. STABILITY AND REACTIVITY

#### **Chemical Stability**

This product is stable.

#### Incompatibility

Strong oxidizers, acids, and bases.

#### **Hazardous Decomposition Products**

Carbon dioxide, aldehydes, acids, and oxides of nitrogen.

#### **Hazardous Polymerization**

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

TITANIUM DIOXIDE, CAS NO 13463-67-7 Oral LD50 Rat >10000 mg/kg QUARTZ, CAS NO 14808-60-7 Oral LD50 Rat 500 mg/kg



Date Printed: January 1, 2015

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

TRI (DIMETHYLAMINOMETHYL) PHENOL, CAS NO 90-72-2 Oral LD50 Rat 1000 mg/kg
Dermal LD50 Rat 1280 mg/kg

## **Chronic Toxicity**

Talc, CAS14807-96-6

Fibrosis was observed in rats exposed to 6 mg/m3 of hydrous magnesium silicate (talc) for 113 or 122 weeks. Chronic respiratory disease has been observed in workers exposed to up to 3.0 mg/m3 of airborne talc ore free of asbestos and silica. Prolonged or repeated exposure to fine airborne crystalline silica dust may cause severe scarring of the lungs, a disease called silicosis. Early symptoms of silicosis include cough, mucous production and shortness of breath upon exertion. Product is a non respirable form.

Silica Crystalline Quartz CAS 14808-60-7: Toxic effects (Humans) - fibrosis, pneumoconiosis, cough, difficult breathing.

#### **Carcinogenic Effects**

Titanium Dioxide CAS 13463-67-7
ACGIH, Not listed
IARC, Group 2 Carcinogen
Silica, Crystalline Quartz CAS 14808-60-7
ACGIH, A2 - Suspected Human Carcinogen
IARC, Group 1 - Carcinogenic to Humans, Monograph 100C, Monograph

#### **Mutagenic Effects**

Silica Crystalline Quartz CAS 14808-60-7: Mutagenic effects have occurred in humans.

## **Reproductive Toxicity**

Silica, Crystalline Quartz CAS 14808-60-7: No data found on Reproductive and Teratogenic effects.

#### 12. ECOLOGICAL INFORMATION

#### Ozone Depletion Potential

No ozone depleting chemical(s) are present in this product.

#### 13. DISPOSAL CONSIDERATIONS



Date Printed: January 1, 2015

**Product Name: FUSE-PLASTIC** Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

#### Method

As the US Environmental Protection Agency (EPA), state, regional, and other regulatory agencies may have jurisdiction over the disposal of the waste generated, it is incumbent upon waste generators to learn of and satisfy all of the waste disposal requirements which affect them. The following US EPA Hazardous Waste Numbers are applicable to the unadultrated product if it enters the "waste stream".

#### **US EPA Hazardous Waste Numbers**

None

## **14. TRANSPORT INFORMATION**

## UN Number

Not hazardous for transport

## **Proper Shipping Name**

IMDG and ICAO/IATA: Not hazardous for transport

#### **Hazard Class**

Not regulated

## **Packing Group**

Not regulated

#### **Marine Pollutant**

Component \*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*

CAS RN

#### **ERG Guide Book Number**

Not regulated

#### **Special Precautions**

Not regulated

## **Emergency Schedule (EMS) - FIRE**

Not regulated

#### **Emergency Schedule (EMS) - SPILL**

Not regulated

# 15. REGULATORY INFORMATION

### INTERNATIONAL REGULATIONS

United States TSCA: All ingredients are TSCA listed. Canada DSL: All ingredients are either listed or exempt. Canada NDSL: All ingredients are either listed or exempt.



Date Printed: January 1, 2015

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

EINECS: All the chemicals in this product are listed in the

inventory.

Europe ELINCS: Not evaluated

Korea: Not evaluated

China Inventory: Not evaluated Australia AICS: Not evaluated Japan ENCS: Not evaluated

Philippines PICCS: Not evaluated

## Legend

TSCA: Toxic Substance Control Act

DSL: Domestic Substance List

NDSL: Non-Domestic Substance List

EINECS: EU Inventory of Existing Commercial Chemical Substances

ELINCS: EU List of Notified Chemical Substances

ECL: Existing Chemicals List

AICS: Inventory of Chemical Substances ENCS: Existing and New Chemical Substances PICCS: Philippines Inventory of Chemicals

# US Federal Regulations SARA 311/312

# **EPA Hazard Class:**

Immediate: Yes Delayed: Yes Pressure: No Reactivity: No Flammable: No

#### **SARA 313**

Component CAS RN

\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*

**TSCA 12(b)** 

Component CAS RN

\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*

**CERCLA RQs** 

Component CAS RN

\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*

CERCLA 102(a) /103 Hazardous Substances

Component CAS RN

\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*



Date Printed: January 1, 2015

**Product Name: FUSE-PLASTIC Product Code:** 

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

## SARA 302/CERCLA 355 Extremely Hazardous Substances

Component **CAS RN** 

\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*

**CAA- Clean Air Act Section 112 HAPS** 

**CAS RN** Component

\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*

STATE REGULATIONS

**CALIFORNIA PROPOSITION 65** 

Component **CAS RN** TITANIUM DIOXIDE 13463-67-7

SILICA, CRYSTALLINE QUARTZ 14808-60-7

MA Right-to-Know

**CAS RN** Component

TALC 14807-96-6 13463-67-7

TITANIUM DIOXIDE

**NJ Right-to-Know** Component **CAS RN** 

14807-96-6 TALC TITANIUM DIOXIDE 13463-67-7

PA Right-to-Know

**CAS RN** Component

TALC 14807-96-6 TITANIUM DIOXIDE 13463-67-7

**WI HAPS** 

Component **CAS RN** 

TALC 14807-96-6

MN Right-to-Know

Component **CAS RN** 

13463-67-7 TITANIUM DIOXIDE

**16. OTHER INFORMATION** 

HMIS:



Date Printed: January 1, 2015

Product Name: FUSE-PLASTIC Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5

24-hour Emergency Phone: 610-286-2500

Health: 1
Fire: 0

Reactivity: 0

PPE: B

#### **Non-Warranty:**

The information presented in this publication is based upon the research and experience of Evcor Solutions Inc. No representation or warranty is made, however, concerning the accuracy or completeness of the information presented in this publication. Evcor Solutions Inc. makes no warranty or representation of any kind, express or implied, including without limitation any warranty or merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by Evcor Solutions Inc. are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose particular to the buyer is for the buyer to determine. Evcor Solutions Inc. assumes no responsibility for the selection of products suitable to the particular purposes of any particular buyer. Evcor Solutions Inc. shall in no event be liable for any special, incidental, or consequential damages.

MSDS Status: APPROVED Created: January 1, 2015

Supercedes: January 1, 2015 Revision