

Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL Product Code: Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

<u>1. COMPANY IDENTIFICATION AND CHEMICAL</u> Manufacturer: Evcor Solutions Inc. 6107 - 530 Adelaide Street West Toronto, ON, M5V 1T5 1-800-860-1537 Web: www.evcorsolutions.com	PRODUCT		
ChemTrec Emergency No.1(800)424-9300 C	Contract # CCN 17567		
Product name: FUSE-STEEL Á	Product Code:		
Specific use: Epoxy putty for steel substrates			
2. COMPOSITION/INFORMATION ON INGREDIE Component/Occupational Exposure Limits TALC OSHA PEL 20 mppcf TWA ACGIH TLV 2 mg/m3 TWA	NTS CAS RN 14807-96-6		
ACGIH ILV 2 MG/MS IWA DIGLYCIDYL ETHER OF BISHENOL A BISPHENOL-A-EPICHLORHYDRIN, EPOXY RESI AMORPHOUS SILICA, SILOXANES & SILICONE SILICA, CRYSTALLINE QUARTZ OSHA PEL 30 mg/m3 /% SiO2+2 TWA (total OSHA PEL 250 mppcf/%SiO2 (respirable) 10 mg/m3/%SiO2+2 (respirable) ACGIH TLV 0.025 mg/m3 TWA (respirable)	ES 67762-90-7 14808-60-7 L dust) OR		

3. HAZARD IDENTIFICATION

WARNING !

Health and Physical Hazards

Irritant: Product contains chemicals known to cause skin and eye irritationand may cause sensitization by skin contact.

Routes of Exposure Target Organs

Inhalation -Yes	Blood -No
-----------------	-----------



Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL Product Code: Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Skin contact -Yes	Eyes -Yes
Eye contact -Yes	Kidneys -No
Ingestion -Yes	Liver -No
Lungs -Yes	
Central nervous system -Yes	
Reproductive -No	
Skin -Yes	

Inhalation

May cause irritation to the respiratory tract and coughing (sneezing).

Skin

Prolonged or repeated skin contact may cause irritation and allergic skin reaction or sensitization.

Eyes

Contact with product may cause moderate eye irritation.

Ingestion

May cause irritation of the gastrointestinal tract and digestive discomfort.

Other

No data found.

4. FIRST AID MEASURES

Inhalation

Remove to fresh air. If respiratory difficulties continue, seek immediate medical care.

Skin contact

Wash affected area with plenty of soap and water. If irritation persists, seek medical care.

Eye contact

Flush eyes thoroughly with water for at least fifteen minutes. If discomfort occurs, consult a physician, preferably an ophthalmologist. Ingestion

Page: 2



Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL

Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Do not induce vomiting. Seek medical care immediately if ill effectsoccur. Note to Physician

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Method:

Setaflash Closed Cup ASTM E502.

Flash Point: > 200°F, (> 93°C) Explosion Limits: Lower (LEL) No data found. Upper (UEL) No data found.

Extinguishing Media

Foam, alcohol foam, CO2, dry chemical, water fog.

Specific Methods

Use water spray to fight fires. Cool endangered containers with water. Fire fighters should wear full protective clothing including a self-contained breathing apparatus (SCBA).

Unusual Hazards

No data found.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure cleanup personnel wear all appropriate Personal Protective Equipment(PPE), including respiratory protection. Keep nonessential personnel away from the contaminated area. Avoid contact with skin, eyes and clothing. Use appropriate PersonalProtective Equipment (PPE). For guidance on selection of PPE see Section 8, "Engineering Control and Personal Protective Equipment" of this MSDS. Ensure adequate ventilation.

Environmental Precautions

Prevent this material from contaminating surrounding environment. Prevent this material from entering sewers and watercourses by diking or impounding the spilled material. Advise authorities if



Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL Product Code: Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for Cleanup

Sweep, shovel and collect material into a covered container.Dispose of according to all applicable state, provincial, federal and local regulations.

7. HANDLING AND STORAGE

Handling

Wear all appropriate Personal Protective Equipment (PPE). Wear respiratory protection or ensure adequate ventilation at all times. Empty Container Precautions: Do not re-use empty containers for food, clothing, or products for human or animal consumption, or where skin contact can occur.

Storage

Keep containers closed when not in use in well-ventilated place. Store at room temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use with adequate local ventilation especially in confined areas. In industrial applications, ensure ventilation is in compliance with occupational exposure limits.

Respiratory Protection

Local exhaust is recommended to ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory equipment should be worn if material is to be sanded and/or sawed to avoid inhalation of airborne particles. If needed, use a NIOSH/MSHA approved respirator equipped with organic vapor cartridges and P100 filters. For emergencies and unknown concentrations, use supplied air respiratory protection or a positive-pressure, self-contained, breathing apparatus (SCBA).

Hand Protection

If product contact is anticipated, wear chemical resistant gloves. **Eye Protection**

Wear safety glasses with side shields or goggles.



Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL

Product Code :

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Skin Protection

If product contact is anticipated, wear protective clothing. **Other Data**

Good personal hygiene and good housekeeping are important. Spilled material may cause the floor or contaminated area to become a safety hazard.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Boiling Point
Solid	Not applicable
Appearance	Vapor Density
Concentric cylinder	Not determined
Color	Evaporation Rate
Grey, Black	Not applicable
Odor	Ibs VOC less water and exempt solvents
Pungent, Sulfur	Olb
Density	Density Percent Volatile by Volume
18.71 lb/gl	0%
Specific Gravity pH	Specific Gravity pH
2.25	Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability This product is stable. Incompatibility Strong oxidizers, acids, and bases. Hazardous Decomposition Products Carbon dioxide, aldehydes, acids, and oxides of nitrogen. Hazardous Polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

QUARTZ, CAS NO 14808-60-7 Oral LD50 Rat 500 mg/kg BISPHENOL A - EPICHLOROHYDRIN POLYMER, CAS NO 25068-38-6 Oral LD50 Rat 11400 mg/kg DIISODECYL PHTHALATE (MIXED ISOMERS), CAS NO 68515-49-1 Oral LD50 Rat >60000 mg/kg Dermal LD50 Rabbit 16000 mg/kg



Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL Product Code : Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Chronic Toxicity

Talc, CAS14807-96-6

Fibrosis was observed in rats exposed to 6 mg/m3 of hydrous magnesium silicate (talc) for 113 or 122 weeks. Chronic respiratory disease has been observed in workers exposed to up to 3.0 mg/m3 of airborne talc ore free of asbestos and silica. Prolonged or repeated exposure to fine airborne crystalline silica dust may cause severe scarring of the lungs, a disease called silicosis. Early symptoms of silicosis include cough, mucous production and shortness of breath upon exertion. Product is a non respirable form. Silica Crystalline Quartz CAS 14808-60-7: Toxic effects (Humans) - fibrosis, pneumoconiosis, cough, difficult breathing.

Carcinogenic Effects

Silica, Crystalline Quartz CAS 14808-60-7 ACGIH, A2 - Suspected Human Carcinogen IARC, Group 1 - Carcinogenic to Humans, Monograph 100C, Monograph 68

Mutagenic Effects

Silica Crystalline Quartz CAS 14808-60-7: Mutagenic effects have occurred in humans.

Reproductive Toxicity

Silica, Crystalline Quartz CAS 14808-60-7: No data found on Reproductive and Teratogenic effects.

12. ECOLOGICAL INFORMATION

DIISODECYL PHTHALATE (MIXED ISOMERS), CAS NO 68515-49-1
Freshwater Fish
96 Hr LC50 Pimephales promelas: >0.66 mg/L [static]
96 Hr LC50 Pimephales promelas: >1 mg/L [flow-through]
96 Hr LC50 Oncorhynchus mykiss: >1 mg/L [static]
96 Hr LC50 Oncorhynchus mykiss: >0.62 mg/L [flow-through]
96 Hr LC50 Lepomis macrochirus: >0.55 mg/L [static]
Freshwater Algae
96 Hr EC50 Pseudokirchneriella subcapitata: >1.3 mg/L



Date Printed: Õá^|áã]ÁFÊÁG€FI

Product Name: FUSE-STEEL Product Code: Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Ozone Depletion Potential

No ozone depleting chemical(s) are present in this product.

13. DISPOSAL CONSIDERATIONS

Method

As the US Environmental Protection Agency (EPA), state, regional, and other regulatory agencies may have jurisdiction over the disposal of the waste generated, it is incumbent upon waste generators to learn of and satisfy all of the waste disposal requirements which affect them. The following US EPA Hazardous Waste Numbers are applicable to the unadultrated product if it enters the "waste stream".

US EPA Hazardous Waste Numbers

None

14. TRANSPORT INFORMATION

UN Number Not hazardous for transport

Proper Shipping Name

IMDG and ICAO/IATA: Not hazardous for transport

Hazard Class

Not regulated

Packing Group Not regulated

Marine Pollutant

Component

Not hazardous for transport ERG Guide Book Number Not regulated Special Precautions Not regulated Emergency Schedule (EMS) - FIRE Not regulated Cas RN



Date Printed: January 1, 2015

Product Name: FUSE-STEEL Product Code: Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Emergency Schedule (EMS) - SPILL Not regulated

15. REGULATORY INFORMATION INTERNATIONAL REGULATIONS

United States TSCA: All ingredients are TSCA listed. Canada DSL: All ingredients are either listed or exempt. Canada NDSL: All ingredients are either listed or exempt. EINECS: All the chemicals in this product are listed in the inventory. Europe ELINCS: Not evaluated Korea: Not evaluated China Inventory: Not evaluated Australia AICS: Not evaluated Japan ENCS: Not evaluated Philippines PICCS: Not evaluated

Legend

TSCA: Toxic Substance Control Act DSL: Domestic Substance List NDSL: Non-Domestic Substance List EINECS: EU Inventory of Existing Commercial Chemical Substances ELINCS: EU List of Notified Chemical Substances ECL: Existing Chemicals List AICS: Inventory of Chemical Substances ENCS: Existing and New Chemical Substances PICCS: Philippines Inventory of Chemicals

US Federal Regulations SARA 311/312 EPA Hazard Class:

Immediate: Yes Delayed: Yes Pressure: No Reactivity: No Flammable: No SARA 313

Component

CAS RN

** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT ** **TSCA 12(b)**



Date Printed: January 1, 2015

Product Name: FUSE-STEEL

Product Code:

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

Component

** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT **

CERCLA RQs

Component CAS RN ** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT **

CERCLA 102(a) /103 Hazardous Substances

Component

** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT **

SARA 302/CERCLA 355 Extremely Hazardous Substances

Component CAS RN ** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT **

CAA- Clean Air Act Section 112 HAPS

Component CAS RN ** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT **

STATE REGULATIONS CALIFORNIA PROPOSITION 65 Component

SILICA, CRYSTALLINE QUARTZ TS CARBON BLACK

MA Right-to-Know Component TALC

SILICON

NJ Right-to-Know

Component TALC DIGLYCIDYL ETHER OF BISHENOL A BISPHENOL-A-EPICHLORHYDRIN, EPOXY RESIN SILICON

PA Right-to-Know Component

CAS	RN

CAS RN

CAS RN PRESENT

CAS RN

14808-60-7 68515-49-1 1333-86-4

CAS RN

14807-96-6 7440-21-3

CAS RN

14807-96-6 25036-25-3 25068-38-6 7440-21-3



Date Printed: January 1, 2015

Product Name: FUSE-STEEL

Product Code:

14807-96-6 25036-25-3

25068-38-6 7440-21-3

14807-96-6

25036-25-3 7440-21-3

CAS RN

CAS RN

Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T5 24-hour Emergency Phone: 610-286-2500

.

.

TALC

DIGLYCIDYL ETHER OF BISHENOL A BISPHENOL-A-EPICHLORHYDRIN, EPOXY RESIN SILICON

WI HAPS

Component TALC

MN Right-to-Know Component

DIGLYCIDYL ETHER OF BISHENOL A SILICON

16. OTHER INFORMATION

HMIS:

Health: 1 Fire: 0 Reactivity: 0 PPE: B

Non-Warranty:

The information presented in this publication is based upon the research and experience of Evcor Solutions Inc. No representation or warranty is made, however, concerning the accuracy or completeness of the information presented in this publication. Evcor Solutions Inc. makes no warranty or representation of any kind, express or implied, including without limitation any warranty or merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by Evcor Solutions Inc. are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose particular to the buyer is for the buyer to determine. Evcor Solutions Inc. assumes no responsibility for the selection of products suitable to the particular purposes of any particular buyer. Evcor Solutions Inc. shall in no event be liable for any special, incidental, or consequential damages.



Date Printed: January 1, 2015

Product Name: FUSE-STEELProduct Code:Evcor Solutions Inc., 6107 - 530 Adelaide Street West, Toronto, ON, M5V 1T524-hour Emergency Phone: 610-286-2500

MSDS Status: APPROVED Created: January 1, 2015 Supercedes: January 1, 2015 Revision